

PURUS® ZINC FREE MV AW HYDRAULIC OILS

Manufactured with highly refined base oils

DESCRIPTION:

PURUS® Zinc Free MV AW Hydraulic Oils are designed to give long service in high-output hydraulic systems. These zinc free hydraulic oils are blended using the latest anti-wear additive technology along with very high shear stable VI improver. **PURUS® Zinc Free MV AW Hydraulic Oils** have a high viscosity index, low pour point for a wider temperature range and provide excellent wear protection, thermal stability and oxidation.

APPLICATIONS:

PURUS® Zinc Free MV AW Hydraulic Oils are recommended for use in all applications calling for anti-wear hydraulic oil and meet or exceed the current and former specifications: Fives Cincinnati P-68, P-69, P-70 (obsolete), Parker (formerly Denison) HF-0, HF-1, and HF-2, Eaton E-FDGN-TB002-E, Bosch Rexroth RDE 90220 (obsolete) and 90235, DIN 51524-III (HV), ASTM D6158 (HV), ISO 11158 (HV), AIST 126, 127, SAE MS 1004 (HV), GM LS2, and SEB 181222. Inherently Biodegradable and non-toxic to aquatic organisms.

Suitable for use in applications which cite former or obsolete specifications such as Fives Cincinnati P-68, P-69, P-70 and Bosch Rexroth RDE 90220.

- Excellent water separation (demulsibility) that facilitates water removal
- Zinc Free wear protection to reduce negative impact of unavoidable water condensation in machinery after shutdown
- Reduce oils consumption and improve equipment protection through outstanding shear and oxidation stability
- Excellent filterability minimized the tendency to cause filter blockage
- Fast air release and antifoam properties minimize pump cavitation in systems with high circulation rates
- Very low viscosity variation and quick start ups thanks to the latest polymer technology
 that provides excellent low-temp performance and maintains precision of machinery
 when hot, cold, or under high loads. The VI improver used in these hydraulic oils is highly
 resistant to mechanical stress, and the "stay in grade" characteristics ensure effective
 lubrication and long oil life.

Revised: 06/2020

PINZFMVAWHYD pg 1



PURUS® ZINC FREE MV AW HYDRAULIC OILS

Manufactured with highly refined base oils

TYPICAL PROPERTIES*:

	32	46	68
D5950	-39	-39	-36
D92	406 (208)	417 (214)	456 (236)
D1500	1.5	1.5	1.5
D445	31	45	68
D445	6.2	8.0	10.9
D664	0.2	0.25	0.2
D2770	152	154	150
D877	30+**	30+**	<30**
D943	>10,000	>10,000	>10,000
D1401	11'19"	13'33"	9'35"
D892	Pass	Pass	Pass
	D92 D1500 D445 D445 D664 D2770 D877 D943 D1401	D5950 -39 D92 406 (208) D1500 1.5 D445 31 D445 6.2 D664 0.2 D2770 152 D877 30+** D943 >10,000 D1401 11'19"	D5950 -39 -39 D92 406 (208) 417 (214) D1500 1.5 1.5 D445 31 45 D445 6.2 8.0 D664 0.2 0.25 D2770 152 154 D877 30+** 30+** D943 >10,000 >10,000 D1401 11'19" 13'33"

^{*}Due to continual product research and development, the information contained herein is based on products purchased in the U.S. and subject to change without notification. Typical properties may vary slightly. Minor variations in product typical test data are to be expected in normal manufacturing



This data sheet and the information it contains is believed to be accurate as of the date of printing. However, no warranty or representation, express or implied, is made as to its accuracy or completeness. Data provided is based on standard tests under laboratory conditions and is given as a guide only. Users are advised to ensure that they refer to the latest version of this data sheet. It is the responsibility of the user to evaluate and use products safely, to assess suitability for the intended application and to comply with all applicable laws and regulations. Safety Data Sheets are available for all our products and should be consulted for appropriate information regarding storage, safe handling, and disposal of the product. No responsibility is taken by either AlOD or its affiliates for any damage or injury resulting from abnormal use of the material, from any failure to adhere to recommendations, or from hazards inherent in the nature of the material. All products, services and information supplied are provided under our standard conditions of sale. You should consult your local AlOD Distributor if you require any further information.

Revised: 06/2020 PINZFMVAWHYD pg 2