PURUS® ALLETOR[®] CALCIUM SULFONATE 3% MOLY GREASE

DESCRIPTION: PURUS[®] Alletor[®] Calcium Sulfonate 3% Moly Greases NLGI Grade 1 and Grade 2 are formulated with calcium sulfonate complex thickener and 3% molybdenum disulfide (moly). The calcium sulfonate complex thickener provides long-lasting performance for use in severe lubrication applications such as mining, construction, industry, agriculture, heavy-duty trucks, and other off-road applications. It is fortified with 3% moly for extra wear protection under heavy loads.

NLGI #1

PERFORMANCE BENEFITS:

- Outstanding corrosion protection
- Excellent extreme pressure (EP) performance
- Calcium sulfonate complex thickener for long life
- Outstanding resistance to water washout
- High dropping point (>500°F)
- 3% moly for extra protection under heavy and shock loading

TYPICAL PROPERTIES*:

ISO VG		ISO 320	ISO 320
Thickener		Calcium Sulfonate Complex	Calcium Sulfonate Complex
Texture		Smooth	Smooth
Color, Observed		Gray/black	Gray/black
Worked 60 Penetration	D217	310-340	265-295
Dropping Point, °F (°C)	D566	>500 (260)	>500 (260)
Viscosity @ 40°C, cSt	D445	288 min/352 max	288 min/ 352 max
Water Washout, % loss @ 79°C	D1264	1	1
Four-Ball Wear Scar, mm	D2266	0.5	0.5
Four-Ball EP Weld Point, kgf	D2596	500	500
Timken OK Load, lb.	D2509	60	60
Oil Separation- % Loss	D1742	<1.0	<1.0
Copper Corrosion	D130	1a	1a
Rust Prevention	D1743	Pass	Pass

*Due to continual product research and development, the information contained herein is based on products purchased in the U.S. and subject to change without notification. Typical properties may vary slightly.

This data sheet and the information it contains is believed to be accurate as of the date of printing. However, no warranty or representation, express or implied, is made as to its accuracy or completeness. Data provided is based on standard tests under laboratory conditions and is given as a guide only. Users are advised to ensure that they refer to the latest version of this data sheet. It is the responsibility of the user to evaluate and use products safely, to assess suitability for the intended application and to comply with all applicable laws and regulations. Safety Data Sheets are available for all of our products and should be consulted for appropriate information regarding storage, safe handling, and disposal of the product. No responsibility is taken by either AIOD or its affiliates for any damage or injury resulting from abnormal use of the material, from any failure to adhere to recommendations, or from hazards inherent in the nature of the material. All products, services and information supplied are provided under our standard conditions of sale. Consult your local AIOD Distributor if you require any further information.

PINCSMOLY Association of Independent Oil Distributors • www. purusproducts.com • P.O. Box 1861 • Montrose, CO 81402 USA





NLGI #2