

PURUS[®] FULL SYNTHETIC TRACTOR HYDRAULIC FLUID

Manufactured with highly refined base oils

DESCRIPTION: **PURUS[®] Full Synthetic Tractor Hydraulic Fluid** is a low viscosity product formulated to lubricate transmissions, differentials and final drive gears at very low temperatures. The outstanding low temperature performance is provided by the use of full synthetic base oils and extremely shear stable viscosity index improvers. The additive package provides excellent friction control, oxidation resistance, wear protection, rust and corrosion inhibition, and resistance to foaming.

APPLICATION: **PURUS[®] Full Synthetic Tractor Hydraulic Fluid** is specifically designed for use in applications calling for J20D specification.

- Specially formulated for low temperature performance
- High viscosity index and shear stability
- Excellent anti-wear and extreme pressure properties
- Outstanding wet brake and chatter control
- Advanced rust and corrosion control

TYPICAL PROPERTIES:	Gravity, API°	35.6
	Specific Gravity @ 60°F	0.847
	Density, lb/gal	7.05
	Flash Point °F	405
	Pour Point °F	-55
	Viscosity	
	at 40°C, cSt	33.3
	at 100°C, cSt	7.4
	Viscosity Index	200
	Viscosity, Brookfield	
cP at -40°C	7350	

*Due to continual product research and development, the information contained herein is based on products purchased in the U.S. and subject to change without notification. Typical properties may vary slightly

This data sheet and the information it contains is believed to be accurate as of the date of printing. However, no warranty or representation, express or implied, is made as to its accuracy or completeness. Data provided is based on standard tests under laboratory conditions and is given as a guide only. Users are advised to ensure that they refer to the latest version of this data sheet. It is the responsibility of the user to evaluate and use products safely, to assess suitability for the intended application and to comply with all applicable laws and regulations. Safety Data Sheets are available for all of our products and should be consulted for appropriate information regarding storage, safe handling, and disposal of the product. No responsibility is taken by either AIOD or its affiliates for any damage or injury resulting from abnormal use of the material, from any failure to adhere to recommendations, or from hazards inherent in the nature of the material. All products, services and information supplied are provided under our standard conditions of sale. You should consult your local AIOD Distributor if you require any further information



PHDFSTHF
Revised: 12/2017